

Arrestor Plus® Dual Band Quarterwave Surge Arrestor (T-shaped, Cylindrical), 800–2170 MHz, with interface types N Female and N Female

Product Classification

Product Type Quarter wave shorting stub

Product Brand Arrestor Plus®

Ordering Note ANDREW® non-standard product

General Specifications

Device Typedc BlockInner Contact PlatingGold

InterfaceN FemaleInterface 2N FemaleOuter Contact PlatingTrimetalPressurizableNo

Dimensions


 Height
 74 mm | 2.913 in

 Width
 25 mm | 0.984 in

 Length
 73 mm | 2.874 in

Outline Drawing





Electrical Specifications

3rd Order IMD -117 dBm

3rd Order IMD Test MethodTwo +43 dBm carriers

Insertion Loss, typical 0.07 dB

Average Power at Frequency 600.0 W @ 900 MHz

Connector Impedance 50 ohm

Lightning Surge Capability100 times @ 20 kALightning Surge Capability Test MethodIEEE C62.42-1991Lightning Surge Capability Waveform8/20 waveform

Lightning Surge Current 30 kA

Lightning Surge Current Waveform 8/20 waveform

Operating Frequency Band 1710 – 2000 MHz | 2000 – 2170 MHz | 806 – 824 MHz | 824 – 960 MHz

Peak Power, maximum 10 kW

Throughput Energy at Current 2.0 mJ @ 30 kA | 25.0 µJ @ 2 kA

Throughput Energy Waveform 8/20 waveform



Page 2 of 4

VSWR/Return Loss

Frequency Band	VSWR	Return Loss (dB)
806-824 MHz	1.152	23.02
824-960 MHz	1.135	23.98
1710-2000 MHz	1.101	26.36
2000-2170 MHz	1.135	23.98

Mechanical Specifications

Attachment Durability 25 cycles
Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Environmental Specifications

Operating Temperature $-40 \,^{\circ}\text{C}$ to $+150 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+302 \,^{\circ}\text{F}$)

Storage Temperature $-40 \,^{\circ}\text{C}$ to $+100 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+212 \,^{\circ}\text{F}$)

Attenuation, Ambient Temperature $20 \, ^{\circ}\text{C} \mid 68 \, ^{\circ}\text{F}$ Average Power, Ambient Temperature $40 \, ^{\circ}\text{C} \mid 104 \, ^{\circ}\text{F}$

Corrosion Test Method MIL-STD-202, Method 101, Test Condition B

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Moisture Resistance Test Method MIL-STD-202, Method 106

Thermal Shock Test MethodMIL-STD-202, Method 107, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method GR 2846-CORE

Water Jetting Test Mating Mated

Packaging and Weights

Weight, net 0.399 kg | 0.88 lb

Regulatory Compliance/Certifications

Agency Classification

CHINA-ROHS Above maximum concentration value



ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

REACH-SVHC Compliant as per SVHC revision on www.andrew.com/ProductCompliance

ROHS Compliant/Exempted UK-ROHS Compliant/Exempted

