810009824/DB | C-001-DN-8G-M01WH/20G/V6





Fiber drop cable, FTTH, 1 fiber, Singlemode G.657.A2, Gel-filled, Meters jacket marking, White jacket color, Dca flame rating

Product Classification

Regional Availability Asia | Australia/New Zealand | EMEA

Portfolio CommScope®

Product Type Fiber indoor/outdoor cable

Product Series C-DN

General Specifications

Tight buffer Cable Type

Construction Type Non-armored | Ultra Low Loss (ULL) trunk/extension/cross-connect,

indoor

Gel-filled **Subunit Type Inner Jacket Color** White **Jacket Color** White **Jacket Marking** Meters

Inkjet COMMSCOPE GB OPTICAL CABLE 810009824/DB 1X A2 SM LSZH **Jacket Marking Text**

EN50575 CLASS D [SERIAL NUMBER] [METRE MARK]

Subunit, quantity 1 Fibers per Subunit, quantity 1 **Total Fiber Count** 1

Dimensions

Jacket Marking Method


Cable Length 999.744 m | 3280 ft **Buffer Tube/Subunit Diameter** 2 mm | 0.079 in **Diameter Over Jacket** 5 mm | 0.197 in

Representative Image



810009824/DB | C-001-DN-8G-M01WH/20G/V6





Mechanical Specifications

Minimum Bend Radius, loaded82.5 mm3.248 inMinimum Bend Radius, unloaded27.5 mm1.083 inTensile Load, long term, maximum300 N | 67.443 lbfTensile Load, short term, maximum1200 N | 269.771 lbf

Compression 10 N/mm | 57.101 lb/in

Compression Test Method IEC 60794-1 E3

Impact 2 N-m | 17.701 in lb

Impact Test Method IEC 60794-1 E4

Strain See long and short term tensile loads

Strain Test Method IEC 60794-1 E1

Twist 25 cycles

Twist Test Method IEC 60794-1 E7

Optical Specifications

Fiber Type G.657.A2, TeraSPEED®

Environmental Specifications

Installation temperature 0 °C to +60 °C (-32 °F to +140 °F)

Page 2 of 5



810009824/DB | C-001-DN-8G-M01WH/20G/V6

$/\square$

Operating Temperature $-25 \,^{\circ}\text{C}$ to $+70 \,^{\circ}\text{C}$ (-13 $^{\circ}\text{F}$ to $+158 \,^{\circ}\text{F}$)

Storage Temperature $-40 \,^{\circ}\text{C}$ to $+70 \,^{\circ}\text{C}$ (-40 $^{\circ}\text{F}$ to $+158 \,^{\circ}\text{F}$)

Cable Qualification Standards IEC 60794-1-2

EN50575 CPR Cable EuroClass Fire PerformanceDcaEN50575 CPR Cable EuroClass Smoke Ratings1EN50575 CPR Cable EuroClass Droplets Ratingd0EN50575 CPR Cable EuroClass Acidity Ratinga1

Environmental Space Drop | Outdoor | UV resistant for outdoor and Low Smoke Zero

Halogen

Jacket UV Resistance UV stabilized

Packaging and Weights

Cable weight 30 kg/km | 20.159 lb/kft

Included Products

CS-8G-TB – Enhanced Low Macrobending, Zero Water Peak, Dispersion-Unshifted Singlemode Fiber (ITU-T

G.657.A2, B2)

* Footnotes

Operating Temperature Specification applicable to non-terminated bulk fiber cable



CS-8G-TB

Enhanced Low Macrobending, Zero Water Peak, Dispersion-Unshifted Singlemode Fiber (ITU-T G. 657.A2, B2)

Product Classification

 Portfolio
 CommScope®

 Product Type
 Optical fiber

General Specifications

Cladding Diameter 125 µm ±0.7 µm **Cladding Diameter Tolerance** 0.7 % Cladding Non-Circularity, maximum **Coating Diameter (Colored)** $249 \, \mu m$ **Coating Diameter (Uncolored)** 242 µm **Coating Diameter Tolerance (Colored)** ±13 µm **Coating Diameter Tolerance (Uncolored)** ±5 µm Coating/Cladding Concentricity Error, maximum 12 µm Core/Clad Offset, maximum 0.5 µm

Proof Tensile Stress 100,000 psi (0.69 GPa)

Dimensions

Fiber Curl, minimum 4 m | 13.123 ft

Mechanical Specifications

 Macrobending, 15 mm Ø mandrel, 1 turn
 0.50 dB @ 1,550 nm
 | 1.00 dB @ 1,625 nm

 Macrobending, 20 mm Ø mandrel, 1 turn
 0.10 dB @ 1,550 nm
 | 0.20 dB @ 1,625 nm

 Macrobending, 30 mm Ø mandrel, 10 turns
 0.03 dB @ 1,550 nm
 | 0.10 dB @ 1,625 nm

Coating Strip Force, maximum8.9 N | 2.001 lbfCoating Strip Force, minimum1.3 N | 0.292 lbf

Dynamic Fatigue Parameter, minimum 20

Optical Specifications

Cabled Cutoff Wavelength, maximum1260 nmPoint Defects, maximum0.1 dB

COMMSCOPE®

CS-8G-TB

Zero Dispersion Slope, maximum 0.092 ps/[km-nm-nm]

Zero Dispersion Wavelength, maximum1324 nmZero Dispersion Wavelength, minimum1302 nm

Optical Specifications, Wavelength Specific

Attenuation, maximum 0.50 dB/km @ 1,310 nm | 0.50 dB/km @ 1,385

nm | 0.50 dB/km @ 1,550 nm

Dispersion, maximum 18 ps(nm-km) at 1550 nm | 3.5 ps(nm-km) from 1285

nm to 1330 nm at 1310 nm

Index of Refraction 1.467 @ 1,310 nm | 1.467 @ 1,385 nm | 1.468 @ 1,550

nm

 $\textbf{Mode Field Diameter} \hspace{1.5cm} 8.6~\mu m \ @ 1,310~nm \hspace{0.2cm} | \hspace{0.2cm} 9.8~\mu m \ @ 1,550~nm$

Mode Field Diameter Tolerance $\pm 0.4 \,\mu\text{m}$ @ 1310 nm | $\pm 0.5 \,\mu\text{m}$ @ 1550 nm

Polarization Mode Dispersion Link Design Value, maximum 0.06 ps/sqrt(km)

Standards Compliance ITU-T G.657.A2 | ITU-T G.657.B2

Environmental Specifications

Heat Aging, maximum 0.05 dB/km @ 85 °C

 Temperature Dependence, maximum
 0.05 dB/km

 Temperature Humidity Cycling, maximum
 0.05 dB/km

Water Immersion, maximum 0.05 dB/km @ 23 °C

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

* Footnotes

Temperature Dependence, maximum Temperature dependence is conducted at -60 °C to +85 °C (-76 °F to +185 °F)

Temperature Humidity Cycling, maximum Temperature humidity cycling is conducted at -10 °C to +85 °C (+14 °F to +185 °F)

up to 95% relative humidity

