F1A-PSMSM

Base Product

FSJ1-50A SureFlex® Jumper with interface types SMA Male and SMA Male, variable length

Product Classification

| Product Type | | Wireless transmission cable assembly |
|------------------------------------|------|--|
| Floadet Type | | |
| Product Brand | | HELIAX® SureFlex® |
| Product Series | | FSJ1-50A |
| General Specifications | | |
| Body Style, Connector A | | Straight |
| Body Style, Connector B | | Straight |
| Interface, Connector A | | SMA Male |
| Interface, Connector B | | SMA Male |
| Specification Sheet Revision Level | | A |
| Variable Length | | For custom lengths, contact your local ANDREW representative |
| Dimensions | | |
| Length | | 0 m 0 ft |
| Nominal Size | | 1/4 in |
| VSWR/Return Loss | | |
| Frequency Band | VSWR | Return Loss (dB) |
| 700–3000 MHz | 1.43 | 15.04 |

Jumper Assembly Sample Label



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 18, 2025

Page 1 of 2

F1A-PSMSM



Environmental Specifications

Immersion Test Method

Meets IEC 60529:2001, IP68 in mated condition

Regulatory Compliance/Certifications

Agency

ISO 9001:2015

Classification

Designed, manufactured and/or distributed under this quality management system



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 18, 2025

Page 2 of 2