

Fiber Optic Patch Cord, Multi-fiber, Singlemode, SC/UPC to MPO Female, Yellow

### Product Classification

Regional Availability	Asia   Australia/New Zealand   Europe   Latin America   Middle East /Africa   North America
Product Type	Fiber distribution cable assembly
Product Series	MA
Ordering Note	2.0mm cable is only available as Plenum   2.0mm subunit only available in 4, 8 and 12 fibers   Pulling sock not available on fiber counts 4, 8 or 12
General Specifications	
Color, boot A	Blue
Color, connector A	Blue
Color, boot B	Black
Color, connector B	Green
Interface, Connector A	SC/UPC
Interface, Connector B	MPO Female
Jacket Color	Yellow

### Dimensions


**Diameter Over Jacket** 

1.2 mm | 0.047 in

Page 1 of 4



# Ordering Tree




Page 2 of 4




## Representative Image


#### 4, 8 and 12 Fiber Assembly Image



#### 24 – 144 Fiber Assembly Image



#### MPO Connectors on Side B (Optional)



# Optical Specifications

Fiber Mode	Singlemode
Fiber Type	OS2
Insertion Loss, maximum, connector A	0.18 dB
Insertion Loss, maximum, connector B	0.35 dB
Return Loss, minimum, connector A	52 dB
Return Loss, minimum, connector B	65 dB

### **Environmental Specifications**

**Environmental Space** 

Plenum

Page 3 of 4



# MA-S7

Qualification Standards

GR-326 CORE | GR-409 | GR-449-CORE

1

Packaging and Weights

Packaging quantity

Page 4 of 4

