PM-238-84



Adjustable Pipe Mount, 2-3/8 in OD x 84 in

Product Classification

Product Type

Pipe mount

General Specifications


Mounting	Saddle mounts
Note	One 96 in x 8 in panel antenna per pipe mount
Pipe, quantity	1
Tower Taper	Non-tapered
Dimensions	
Height	2,133.6 mm 84 in
Width	152.4 mm 6 in
Length	152.4 mm 6 in
Pipe Length	2,133.6 mm 84 in
Pipe Outer Diameter	60.96 mm 2.4 in

Page 1 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

Outline Drawing



Material Specifications

Material Type

Hot dip galvanized steel

Mechanical Specifications

Wind Rating120 mph (BWS) at 150 ft AGLWind Rating Test MethodTIA/EIA-222

Packaging and Weights

Included

1

Brackets | Hardware | Pipe

Packaging quantity

Page 2 of 3



©2025 ANDREW, an Amphenol company. All rights reserved. Amphenol and ANDREW are registered trademarks of Amphenol and/or its affiliates in the U.S. and other countries. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 12, 2025

PM-238-84

Weight, net

11.8 kg | 26.015 lb

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2015 Designed, manufactured and/or distributed under this quality management system

Included Products

MT-651-84 -

Plain End Pipe, 2-3/8 in OD x 84 in .120" A500C 46Ksi

* Footnotes

Wind Rating BWS—Base Wind Speed; FBC—Florida Building Code

Page 3 of 3

