
760253796 | PPL-1U-HD-FX



Propel 1RU fixed tray fiber panel, accepts Propel components, providing up to 48 duplex LC ports, 48 MPO ports or 96 SN ports (192f)

- Any size Propel component can be used in each panel or blade
- Components can be installed and removed from front or rear of panel
- Supports 8f, 12f, 16f and 24f applications while maintaining full panel density
- Cable mounting system allows for multiple trunk cables to be securely attached in the rear of panel

Product Classification

| Regional Availability | Asia Australia/New Zealand EMEA Latin America North America |
|-----------------------|---|
| Portfolio | CommScope® |
| Product Type | Fiber patch panel |
| Product Brand | Propel |
| Product Series | PPL |

General Specifications

| Color | Gray | |
|-----------------------|-----------|--|
| Interface, front | Unloaded | |
| Rack Type | EIA 19 in | |
| Rack Units | 1 | |
| Shelf Movement | Fixed | |
| Total Ports, quantity | 0 | |

Dimensions

| Height | 44 mm 1.732 in | |
|--------|--------------------|--|
| Width | 483 mm 19.016 in | |
| Depth | 426 mm 16.772 in | |

Page 1 of 2

©2025 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 25, 2025



Port Configuration

| Panel | | | | | |
|-------------------------|--------------------|---------------------|---------------------|---------------------|--|
| size | 8-fiber components | 12-fiber components | 16-fiber components | 24-fiber components | |
| 1RU | up to 6 per blade | up to 4 per blade | up to 3 per blade | up to 2 per blade | |
| 2RU | up to 6 per blade | up to 4 per blade | up to 3 per blade | up to 2 per blade | |
| 4RU | up to 6 per blade | up to 4 per blade | up to 3 per blade | up to 2 per blade | |
| Each blade has 12 lanes | | | | | |
| | Requires 2 lanes | Requires 3 lanes | Requires 4 lanes | Requires 6 lanes | |

Material Specifications

Material Type Aluminum | Steel

Environmental Specifications

Safety Standard

Packaging and Weights

Packaging quantity

Regulatory Compliance/Certifications

1

Agency

Classification

c-UL-us

CHINA-ROHS ROHS Below maximum concentration value Compliant Compliant



Page 2 of 2

©2025 CommScope, Inc. All rights reserved. CommScope and the CommScope logo are registered trademarks of CommScope and/or its affiliates in the U.S. and other countries. For additional trademark information see https://www.commscope.com/trademarks. All product names, trademarks and registered trademarks are property of their respective owners. Revised: March 25, 2025

